

CPC COOPERATIVE PATENT CLASSIFICATION

D TEXTILES; PAPER

TEXTILES OR FLEXIBLE MATERIALS NOT OTHERWISE PROVIDED FOR

D03 WEAVING

D03D WOVEN FABRICS; METHODS OF WEAVING; LOOMS

NOTES

1. Class [D06](#) takes precedence over this subclass in respect of processes involving both weaving and finishing steps and in respect of the finished fabrics.
2. A method of weaving is classified in the group designating the fabric woven unless the method is characterised by the operation of a particular loom rather than by the production of a particular fabric. In this case, the method is classified in the group for the loom.
3. In this subclass, further classification in indexing scheme [D10B](#) for aspects relating to textiles is required.
4. In this subclass, if there is any doubt as to which of the essential features is the most important (this is usually the most restrictive feature), the groups designating woven fabrics should be considered in the order in which they appear at each level of indentation, except that groups designating woven pile fabrics are to be considered as taking precedence over groups designating other woven fabrics.

WARNING

{In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.}

Woven fabrics; Methods of weaving other than those characterised by the operation of a particular loom

1/00 Woven fabrics designed to make specified articles

- 1/0005 . {Woven fabrics for safety belts}
- 1/0011 . {Woven fabrics for labels}
- 1/0017 . {Woven household fabrics}
- 1/0023 . . {Mops or wipes}
- 1/0029 . . {Doormats}
- 1/0035 . {Protective fabrics}
- 1/0041 . . {Cut or abrasion resistant}
- 1/0043 . . {for elongated members, i.e. sleeves}
- 1/0047 . . {Camouflage fabrics}
- 1/0052 . . {Antiballistic fabrics}
- 1/0058 . . {Electromagnetic radiation resistant}
- 1/0064 . . {Noise dampening}
- 1/007 . . {UV radiation protecting}
- 1/0076 . {Photovoltaic fabrics}
- 1/0082 . {Fabrics for printed circuit boards}
- 1/0088 . {Fabrics having an electronic function}
- 1/0094 . {Belts ([D03D 1/0005](#) takes precedence)}
- 1/02 . Inflatable articles
- 1/04 . Sack- or bag-like articles
- 1/06 . Curtain heading tapes
- 1/08 . Ladder tapes ([ladder tapes for venetian blinds E06B 9/382](#))

3/00 Woven fabrics characterised by their shape

- 3/005 . {Tapes or ribbons not otherwise provided for ([D03D 1/0005](#), [D03D 1/0011](#), [D03D 1/06](#), [D03D 1/08](#), [D03D 1/0094](#) take precedence)}
- 3/02 . Tubular fabrics
- 3/04 . Endless fabrics
- 3/06 . Fabrics of varying width

3/08 . Arched, corrugated, or like fabrics

5/00 Selvedges

7/00 Woven fabrics designed to be resilient, i.e. to recover from compressive stress

9/00 Open-work fabrics

11/00 Double or multi-ply fabrics not otherwise provided for

11/02 . Fabrics formed with pockets, tubes, loops, folds, tucks or flaps ([fabrics consisting of a single tube D03D 3/02](#))

13/00 Woven fabrics characterised by the special disposition of the warp or weft threads, e.g. with curved weft threads, with discontinuous warp threads, with diagonal warp or weft

- 13/002 . {With diagonal warps or wefts}
- 13/004 . {with weave pattern being non-standard or providing special effects}
- 13/006 . {With additional leno yarn}
- 13/008 . {characterised by weave density or surface weight}

15/00 Woven fabrics characterised by the material, structure or properties of the fibres, filaments, yarns, threads or other warp or weft elements used

15/20 . characterised by the material of the fibres or filaments constituting the yarns or threads

- 15/208 . . cellulose-based
- 15/217 . . . natural from plants, e.g. cotton
- 15/225 . . . artificial, e.g. viscose
- 15/233 . . protein-based, e.g. wool or silk
- 15/235 . . . {Cashmere or silk}
- 15/242 . . inorganic, e.g. basalt
- 15/247 . . . {Mineral}

15/25	. . . Metal	25/005	. {Three-dimensional woven fabrics}
15/258 Noble metal	27/00	Woven pile fabrics
15/267	. . . Glass	27/02	. wherein the pile is formed by warp or weft
15/275	. . . Carbon fibres	27/04	. . Weft pile fabrics
15/283	. . synthetic polymer-based, e.g. polyamide or polyester fibres (cellulose-based artificial fibres D03D 15/225)	27/06	. . Warp pile fabrics
15/292	. . Conjugate, i.e. bi- or multicomponent, fibres or filaments	27/08	. . . Terry fabrics
15/30	. characterised by the structure of the fibres or filaments	27/10	. . Fabrics woven face-to-face, e.g. double velvet
15/33	. . Ultrafine fibres, e.g. microfibrils or nanofibrils	27/12	. wherein pile tufts are inserted during weaving
15/37	. . with specific cross-section or surface shape	27/14	. . with tufts around warps
15/40	. characterised by the structure of the yarns or threads	27/16	. . with tufts around wefts
15/41	. . with specific twist	27/18	. Chenille fabrics
15/43	. . with differing diameters		
15/44	. . with specific cross-section or surface shape	Looms; Methods of weaving characterised by the operation of particular looms	
15/46	. . . Flat yarns, e.g. tapes or films	29/00	Hand looms
15/47	. . multicomponent, e.g. blended yarns or threads (multicomponent fibres or filaments D03D 15/292)	31/00	Lappet, swivel or other looms for forming embroidery-like decoration on fabrics
15/49	. . textured (chenille D03D 27/18); curled; crimped	33/00	Multiple looms, i.e. two or more looms assembled together, whether or not they have mechanisms in common (D03D 35/00 takes precedence)
15/497	. . {Knitted threads}	35/00	Smallware looms, i.e. looms for weaving ribbons or other narrow fabrics (D03D 47/00 takes precedence)
15/50	. characterised by the properties of the yarns or threads	35/005	. {Shuttles}
15/507	. . magnetic	37/00	Circular looms (looms for weaving separate fabrics disposed in a circle or polygon D03D 33/00)
15/513	. . heat-resistant or fireproof	39/00	Pile-fabric looms
15/52	. . thermal insulating, e.g. heating or cooling	39/02	. Axminster looms, i.e. wherein pile tufts are inserted during weaving
15/527	. . waterproof or water-repellent	39/04	. . Spool Axminster looms
15/533	. . antistatic; electrically conductive	39/06	. . . Tuft yarn tube or spool frames
15/54	. . coloured	39/08	. . Gripper Axminster looms
15/547	. . with optical functions other than colour, e.g. comprising light-emitting fibres	39/083	. . . {Selecting mechanisms}
15/553	. . . with metallic effect (metal D03D 15/25)	39/086	. . . {Gripper details}
15/56	. . elastic	39/10	. Wire-tapestry looms, e.g. for weaving velvet or Brussels or Wilton carpets, the pile being formed over weftwise wires
15/567	. . Shapes or effects upon shrinkage	39/12	. . Mechanisms for operating the pile wires
15/573	. . Tensile strength	39/14	. . Construction of the pile wires, e.g. pile wires which cut
15/58	. . characterised by the coefficients of friction	39/16	. Double-plush looms, i.e. for weaving two pile fabrics face-to-face
15/587	. . adhesive; fusible	39/18	. . Separating the two plush layers, e.g. by cutting
15/593	. . Stiff materials, e.g. cane or slat	39/20	. Looms forming pile over warpwise wires
15/60	. characterised by the warp or weft elements other than yarns or threads	39/22	. Terry looms
15/62	. . Cords or ropes	39/223	. . {Cloth control}
15/63	. . Straps, e.g. leather straps	39/226	. . {Sley control}
15/65	. . Paper	39/24	. Devices for cutting the pile on the loom (pile wires which cut D03D 39/14 ; separating two plush layers D03D 39/18)
15/67	. . Metal wires	41/00	Looms not otherwise provided for, e.g. for weaving chenille yarn; Details peculiar to these looms
15/68	. . Scaffolding threads, i.e. threads removed after weaving	41/001	. {Hair-cloth looms}
15/69	. . {Threads with beads}	41/002	. {Looms for weaving reed, straw or wood}
17/00	Woven fabrics having elastic or stretch properties due to manner of weaving (fabrics using stretchable or elastic threads D03D 15/56)	41/004	. {Looms for three-dimensional fabrics}
19/00	Gauze or leno-woven fabrics	41/005	. {Linear-shed multiphase looms}
21/00	Lappet- or swivel-woven fabrics	41/007	. {Vertical looms}
23/00	General weaving methods not special to the production of any particular woven fabric or the use of any particular loom; Weaves not provided for in any other single group	41/008	. {Looms for weaving flat yarns}
25/00	Woven fabrics not otherwise provided for	43/00	Looms with change-boxes

- 43/02 . with drop boxes
- 43/04 . . Operating mechanisms
- 43/06 . with rotary boxes
- 43/08 . . Operating mechanisms
- 43/10 . Weft catchers, i.e. means for preventing entanglement of wefts
- 45/00 Looms with automatic weft replenishment**
(automatic replenishment in smallware looms [D03D 35/00](#), in circular looms [D03D 37/00](#))
- 45/02 . Controlling replenishment
- 45/04 . . Pirn feelers or other detectors for initiating replenishment (weft stop motions [D03D 51/34](#))
- 45/06 . . . mechanical
- 45/08 of the side-slip type
- 45/10 . . . electrical
- 45/12 . . . optical
- 45/14 . . Storing the need for replenishment or the colour required until the spent shuttle returns to the replenishing end of the loom
- 45/16 . . . selecting thereby weft of correct colour
- 45/18 . . Shuttle feelers or other devices for preventing replenishment if shuttle is incorrectly positioned in shuttle box (shuttle stop motions [D03D 51/40](#))
- 45/20 . Changing bobbins, cops or other loom components carried by the shuttle
- 45/22 . . effected with shuttle in normal shuttle box
- 45/24 . . effected otherwise than in normal box
- 45/26 . . Magazines
- 45/28 . . . for one type of thread, e.g. same colour
- 45/30 rotary
- 45/32 . . . for several types of thread, e.g. multicolour
- 45/34 . Shuttle changing
- 45/36 . . fresh shuttle being substituted for spent shuttle in the same cell of shuttle box
- 45/38 . . Shuttle box with an extra cell which is used only during replenishment
- 45/40 . . . the spent shuttle being received in the normal cell and the fresh shuttle being picked from the extra cell
- 45/42 . . . the spent shuttle being received in the extra cell and the fresh shuttle being picked from the normal cell
- 45/44 . . Magazines
- 45/46 . . . for one type of thread, e.g. single colour
- 45/48 . . . for several types of threads, e.g. multicolour
- 45/50 . Cutting, holding, manipulating, or disposing of, weft ends
- 45/52 . . Cutting weft of depleted shuttle near shuttle and holding the piece attached to the fabric
- 45/54 . . Cutting fresh weft and holding the piece attached to the fabric
- 45/56 . . Cutting depleted and fresh wefts at selvedge
- 45/58 . . Removing tip bunch or fresh weft end from fresh bobbin
- 45/60 . . . substantially by air stream or suction
- 45/62 . . Disposing of waste pieces of cut weft end ([D03D 45/58](#) takes precedence)
- 47/00 Looms in which bulk supply of weft does not pass through shed, e.g. shuttleless looms, gripper shuttle looms, dummy shuttle looms** ([circular looms D03D 37/00](#))
- 47/02 . wherein loops of continuous weft thread are inserted, i.e. double picks
- 47/04 . . by a reciprocating needle having a permanently-threaded eye
- 47/06 . . by a pivoted needle having a permanently-threaded eye
- 47/08 . . . the path of the needle being modified by cams, linkages, or other means
- 47/10 . . by a forked needle pushing loop of weft through shed
- 47/12 . wherein single picks of weft thread are inserted, i.e. with shedding between each pick
- 47/125 . . {Weft holding devices (if the weft is reinserted in the next shed [D03D 47/48](#); in jet looms [D03D 47/308](#))}
- 47/14 . . by a gripper needle taking the end of the weft through the shed
- 47/16 . . by a gripper needle entering the shed empty and drawing the weft as it retracts
- 47/18 . . two weft inserters meeting at or near the middle of the shed and transferring the weft from one to the other
- 47/20 . . Constructional features of the thread-engaging device on the inserters
- 47/22 . . . adapted for working a loop of weft part-way inserted in the shed and then straightened-out
- 47/23 . . . Thread grippers (in dummy or gripper shuttles [D03J 5/06](#))
- 47/233 {Carrying grippers}
- 47/236 {Drawing grippers}
- 47/24 . . by gripper or dummy shuttle ([travelling-wave-shed looms D03D 47/26](#); inserting mechanisms for shuttles [D03D 49/24](#))
- 47/25 . . . inserted from only one side of loom
- 47/26 . . Travelling-wave-shed looms
- 47/261 . . . {Preparation of weft}
- 47/262 . . . {Shedding, weft insertion or beat-up mechanisms}
- 47/263 {Weft insertion and beat-up mechanisms}
- 47/265 {Beat-up mechanisms ([D03D 47/263](#) takes precedence)}
- 47/266 {Weft insertion mechanisms ([D03D 47/263](#) takes precedence)}
- 47/267 {Shedding mechanisms}
- 47/268 . . . {Mechanisms for compensating warp tension}
- 47/27 . Drive or guide mechanisms for weft inserting
- 47/271 . . {Rapiers}
- 47/272 . . . {Rapier bands}
- 47/273 . . . {Rapier rods}
- 47/275 . . {Drive mechanisms}
- 47/276 . . . {Details or arrangement of sprocket wheels}
- 47/277 . . {Guide mechanisms ([for shuttles D03D 49/24](#))}
- 47/278 . . . {for pneumatic looms}
- 47/28 . wherein the weft itself is projected into the shed
- 47/30 . . by gas jet
- 47/3006 . . . {Construction of the nozzles}
- 47/3013 {Main nozzles}
- 47/302 {Auxiliary nozzles}
- 47/3026 . . . {Air supply systems}
- 47/3033 {Controlling the air supply}
- 47/304 {Controlling of the air supply to the auxiliary nozzles}
- 47/3046 {Weft yarn selection}

- 47/3053 {Arrangements or lay out of air supply systems}
- 47/306 {Construction or details of parts, e.g. valves, ducts}
- 47/3066 . . . {Control or handling of the weft at or after arrival}
- 47/3073 {Detection means therefor}
- 47/308 {Stretching or holding the weft}
- 47/3086 {Weft removal (extraction of defective weft after stopping at definite point in weaving cycle [D03D 51/085](#))}
- 47/3093 . . . {Displaying data}
- 47/32 . . by liquid jet
- 47/34 . Handling the weft between bulk storage and weft-inserting means
- 47/342 . . {knot detection}
- 47/345 . . {Rotating bobbins}
- 47/347 . . {Yarn brakes ([D03D 47/364](#) takes precedence)}
- 47/36 . . Measuring and cutting the weft
- 47/361 . . . {Drum-type weft feeding devices}
- 47/362 {with yarn retaining devices, e.g. stopping pins ([D03D 47/367](#) takes precedence)}
- 47/363 {Construction or control of the yarn retaining devices}
- 47/364 {Yarn braking means acting on the drum}
- 47/365 {Brushes}
- 47/366 {Conical}
- 47/367 {Monitoring yarn quantity on the drum}
- 47/368 . . . {Air chamber storage devices}
- 47/369 . . . {Communication systems}
- 47/38 . . Weft pattern mechanisms
- 47/39 . wherein cane, straw, slats, material for hair-cloth or similar material is handled
- 47/40 . Forming selvages
- 47/42 . . by knitting or interlacing loops of weft
- 47/44 . . . with additional selvage thread
- 47/46 . . by selvage shuttle or other device passing selvage thread through loop of weft ([by knitting \[D03D 47/44\]\(#\)](#))
- 47/48 . . by inserting cut end of weft in next shed, e.g. by tucking, by blowing
- 47/50 . . by adhesion
- 49/00** **Details or constructional features not specially adapted for looms of a particular type**
- 49/02 . Construction of loom framework
 - WARNING**
 - This group is in the process of being reorganised to its subgroups
- 49/022 . . {Protective hoods or curtains}
- 49/025 . . {Ground supports}
- 49/027 . . {Arrangements or means for noise reduction}
- 49/04 . Control of the tension in warp or cloth
- 49/06 . . Warp let-off mechanisms
- 49/08 . . . Warp beam brakes
- 49/10 . . . Driving the warp beam to let the warp off
- 49/12 . . Controlling warp tension by means other than let-off mechanisms
- 49/14 . . . Compensating for tension differences during shedding
- 49/16 . . . Warp supplied by creel
- 49/18 . . Devices for indicating warp tension
- 49/20 . . Take-up motions; Cloth beams
- 49/22 . . Back rests; Lease rods; Brest beams
- 49/24 . Mechanisms for inserting shuttle in shed
- 49/26 . . Picking mechanisms, e.g. for propelling gripper shuttles or dummy shuttles
- 49/28 . . . Driving mechanisms for the picker stick
- 49/30 operated by cam
- 49/32 operated by previously-loaded spring or equivalent
- 49/34 operated by liquid or gas pressure
- 49/36 . . . Pickers; Arresting means therefor ([check straps \[D03D 49/40\]\(#\)](#))
- 49/38 . . . Picking sticks; Arresting means therefor ([check straps \[D03D 49/40\]\(#\)](#))
- 49/40 . . . Check straps; Lug straps; Similar strap components
- 49/42 . . whereby the shuttle is propelled by liquid or gas pressure
- 49/44 . . whereby the shuttle is propelled by electric or magnetic means
- 49/46 . . wherein the shuttle is pushed or pulled positively ([travelling-wave-shed looms \[D03D 47/26\]\(#\)](#))
- 49/48 . . positioning shuttle in readiness for picking
- 49/50 . . Miscellaneous devices or arrangements concerning insertion of weft and not otherwise provided for
- 49/52 . Shuttle boxes ([change-boxes \[D03D 43/00\]\(#\)](#))
- 49/54 . . Braking means; Swells
- 49/56 . . . Shuttle relief mechanisms, i.e. reducing shuttle swell pressure before picking
- 49/58 . Shuttle guards
- 49/60 . Construction or operation of slay
- 49/62 . . Reeds mounted on slay
- 49/64 . . wherein the slay dwells or moves slowly while the weft is being inserted
- 49/66 . . Shuttle races
- 49/68 . Reeds or beat-up combs not mounted on the slay ([loose reed stop motion \[D03D 51/42\]\(#\)](#))
- 49/70 . Devices for cutting weft threads ([cutting weft in looms with automatic weft replenishment \[D03D 45/50\]\(#\)](#))
- 51/00** **Driving, starting, or stopping arrangements; Automatic stop motions** ([loom control associated with fabric inspection on the loom \[D03J 1/007\]\(#\)](#))
 - {[Avoiding starting marks](#)}
 - {[Independent drive motors \(independent frame drives for dobbies \[D03C 1/146\]\(#\), for other shedding mechanisms \[D03C 13/02\]\(#\)\)](#)}
 - {[Loom optimisation](#)}
 - General arrangements of driving mechanism
 - Manual controls
 - using particular methods of stopping
 - stopping at definite point in weaving cycle, or moving to such point after stopping
 - {[Extraction of defective weft](#)}
 - stopping suddenly
 - for adjusting speed
 - for reducing speed temporarily
 - for varying speed cyclically
 - Automatic stop motions
 - Warp stop motions
 - mechanical
- 51/002
- 51/005
- 51/007
- 51/02
- 51/04
- 51/06
- 51/08
- 51/085
- 51/10
- 51/12
- 51/14
- 51/16
- 51/18
- 51/20
- 51/22

- 51/24 wherein droppers are suspended on individual warp threads or small groups of threads
- 51/26 Detector healds
- 51/28 electrical
- 51/30 wherein droppers are suspended on individual warp threads or small groups of threads
- 51/32 Detector healds
- 51/34 . . Weft stop motions
- 51/36 . . . Centre weft forks
- 51/38 . . . Side weft forks
- 51/40 . . Shuttle stop motions
- 51/42 . . . Loose reed mechanisms
- 51/44 . . acting on defective operation of loom mechanisms
- 51/46 . . . of shedding mechanisms